

01/12/22

הנדון: מכרז פומבי מס' מ/10/2022 לקבלת הצעות מחיר לרכישה ואספקה של ציוד חקלאי לקריית הספורט באילת

החברה הכלכלית לאילת (חכ"א) בע"מ ח.פ. 511042889 באמצעות מנהלת קריית הספורט (להלן **חכ"א** או **החברה**) מעוניינת בקבלת הצעות מחיר עבור רכישה ואספקה של ציוד חקלאי לתחזוקת דשא בקריית הספורט באילת.

הצעת המחיר תכלול את כלל הציוד המפורט להלן ובהתאם למפרט המצורף:

1. מקרצפת
2. מאווררת יתדות
3. טופ דרסר
4. משזרעת
5. מדללת
6. רשת החלקה דשא סינטטי
7. שואב
8. מברשת דשא סינטטי
9. קפיצים למברשת דשא סינטטי
10. מקלפת דשא 18"

כל הציוד תוצרת GKB לפי המפרט המצורף. אחריות מינימום לשנה ממועד האספקה. תחזוקה ותיקונים יבוצעו במגרש של חכ"א בקריית הספורט באילת. ההצעה כוללת התחייבות לספק חלקי חילוף למשך 5 שנים לפחות. **יש לציין בהצעת המחיר את מועד האספקה.**

תנאי סף:

על המציע לצרף להצעתו אישור בר תוקף לפי חוק עסקאות גופים ציבוריים תשל"ו-1976 המעיד כי המציע מנהל ספרי חשבונות ורשומות ומדווח לרשויות המס כחוק.

אמות מידה

מבין ההצעות תיבחר ההצעה הזולה ביותר, לצד זמינות הציוד וזמן אספקה, וכן בהתחשב בזמינות המציע לביצוע עבודות תחזוקה ותיקונים באילת.

הערות:

- התשלום יבוצע בכפוף ולאחר אספקת מלוא הציוד, בתוך 45 יום מיום הגשת החשבון.
- חכ"א שומרת לעצמה את הזכות לפנות למספר מציעים וכן לבחון את ההצעות על פי שיקול דעתה.
- חכ"א שומרת לעצמה את הזכות לקבלת הצעה כולה או חלק ממנה. חכ"א אינה מתחייבת לקבל את ההצעה הזולה ביותר או כל הצעה שהיא.

את ההצעה לשלוח במייל עד ליום ה' 12/01/2023 למייל maya@eec.co.il ולוודא טלפונית את קבלת הדוא"ל בטלפון 08-9577477.

ככל שקיימות שאלות, יש להעבירן בכתב לכתובת המייל maya@eec.co.il.

בברכה,

No.	Unit	Code	Description		
1	piece	CB120 H	<ul style="list-style-type: none"> - Pendel system front and rear roller - Hybrid combi-rotor voor fraising and verticutting - 44 fraising blades - Walterscheid PTO shaft - Working width: 120 cm - Working depth fraise mowing: max. 5 cm - Working depth verticutting: max. 4 cm (c.t.c. 2,5 / 5,0 / 7,5 cm) - Dimensions operation: 125 x 290 x 120 cm (lxwxh) - Dimensions transport: 125 x 170 x 90 cm (lxwxh) - Weight: 600 kg - Power requirement: 35-45 hp - Linkage: standard three-point hitch cat. I - 1x double acting hydraulic valve conveyor belt (20 l/min) - 1x double acting hydarulic valve to fold inclined conveyor belt GNcode 84328000		
2	Piece	DTA160	<p>Deep Tine Aerator 160 sn.:</p> <ul style="list-style-type: none"> - Ideal for Golfcourses and sports fields - Heavy duty sealed bearings maintenance free - Tines easy to change - Standard tines 18x250mm - Front and rear roller - 3 shuttle gearbox - Walterscheid slipclutch PTO - Working width: 160 cm - Working depth: max. 30 cm - Dimensions transport: 120 x 170 x 120 cm (lxwxh) - Weight: 930 kg - Tractor requirement: 35 HP, lift cap. 1050 KG - 3 point linkage CAT 1 GNcode 84328000		
3	Piece	TD114	<p>1 TopDrop 114 sn.:</p> <ul style="list-style-type: none"> - Brush dresser to put all loose material sand, gravel and rubber - Hydraulic adjustable spreading brush which is simple adjustable - Layer thickness mechanically adjustable - Four oscilating balloon tires for optimal ground pressure - Working width: 1,4 mtr - Layer thickness: variable - Dimension 3,0x1,7x1,6 mtr (lxwxh) - Weigth: 775 kg (excl. sand) - Capacity sand bunker: 1,0 m3 - Power requirement: > 25 pk - Linkage: drawbar eye - 1x double-acting hydraulic valve 25 l/min - IMPORTANT: not for use on public roads GNcode 84328000		
4	Piece	CS160	<p>Combiseeder 160 sn.:</p> <ul style="list-style-type: none"> - Spiked front + rear roller - Accurate seed distribution for all seed mixes 3-50gms m2 - Producing 1500 holes per sq. meter - Water tanks (200Ltr.) for extra weight - Working width 160cm - High capacity seed hopper 200 liters - Drag brush with height adjustment and rear drag brush 		

			<ul style="list-style-type: none"> - Dimensions LxWxH cm 140x170x100 - Linkage cat I-II - Weight 660 kg (with water 860 kg) GNcode 84328000 		
5	Piece	VS160	<p>Vstrong 160 sn.:</p> <ul style="list-style-type: none"> - For an optimal working turns the rotor of the Vstrong against the driving direction - The patented pendel system on the front and rear roller is used for working depth adjustment - Working width: 1,6 mtr - Working depth: 0-5 cm (c.t.c. 2,5 / 5,0 / 7,5 cm) - Standard with 30 verticutting blades 3mm (ctc 5 cm) - Dimensions: 1,6x2,1x1,1 mtr (lxwxh) - Weight: 500 kg - Power requirement: > 45 HP - Linkage: Standard 3-point cat. II GNcode 84328000 		
6	Piece	TF200	<p>TopFinish 200 sn.:</p> <ul style="list-style-type: none"> - Working width: 200 cm - Dimensions operation/transport: 0,3x2,0x0,3 mtr (lxwxh) - Weight: 39 kg - Power requirement: >15 hp - Linkage: chain / connector - 1 rollable rubber mats GNcode 84328000 		
7	Piece	LC150	<p>Leaf-Clean 150 sn.:</p> <ul style="list-style-type: none"> - Leaf cleaner for artificial sport pitches - By a combination of sweeping, brushing and vacuuming, only leaves are collected - The hopper will be emptied on street level - Working width: 1,5 mtr - Dimensions: 1,4x1,6x1,5 mtr (lxwxh) - Weigth: 400 kg - Power requirement: > 30 hp - Linkage: standard 3-point cat I-II - Capacity bin: 650 liter GNcode 84328000 		
8	Piece	TC150	<p>Top-Clean 150 sn.: 10.350,00 20,00 % 8.280,00 8.280,00</p> <ul style="list-style-type: none"> - Surface cleaner artificial grass, sand- and rubber based - The infill material is swept up by a in depht-adjustable brush and put on the sieve - Dirt will fall from the sieve in the waste bin - Working width: 1,5 mtr - Working depth: 0-0,5 cm - Dimensions: 1,6x1,7x0,9 mtr (lxwxh) - Weigth: 260 kg - Power requirement: > 25 hp - Linkage: standard 3-point cat I - Capacity bin: 21 liter GNcode 84328000 		
9	Piece	0009-0001	<p>Metal rake in front of TC150</p> <p>GNcode</p>		
10	Piece	Honda	<p>18" Hydro-Drive Sod Cutter</p> <p>18" Cut Hydrostatic Drive Sod Cutter</p>		